

Pluris LED

3-Phase Track Light

LED

HIGH CRI
>90Ra

FASHION
modules

FOOD
modules

AVAILABLE ON REQUEST



Up to
33W
Power

Up to
4590lm
Lumen

2700K
3000K
4000K
CCT



Product Information

LED Power	Up to 33W	
CRI	Up to >90Ra	
CCT	3000K	4000K
LED Lumen	up to 4410lm (>80Ra)	up to 4590lm (>80Ra)
LED Efficacy	133lm/W (>80Ra)	139lm/W (>80Ra)
LOR	Up to 80%	
Driver	Pluris LED Non-Dimmable Driver / Pluris LED+ Dimmable Driver	
Reflector		


On Request

Article No.	Description	Article No.	Description
S5.15.0512	Reflector 12° for Pluris LED / Pluris LED+	see page 96	3-Phase tracks and accessories
S5.15.0524	Reflector 24° for Pluris LED / Pluris LED+		Dimmable driver available only on request
S5.15.0536	Reflector 36° for Pluris LED / Pluris LED+		Pluris LED+ Dimmable Bluetooth 4.0
S5.15.0550	Reflector 50° for Pluris LED / Pluris LED+		


Pluris LED⁺

3-Phase Track Light

LED





Bluetooth 4.0



Scene control



Time control



Article No.	Product Name	Color	LED Lumen	CCT	CRI	Cooling	LED Power	Reflector
S2.15.1830/S2.15.1830 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Grey	3630lm	3000K	>80Ra	Passive	26W	36°
S2.15.2830/S2.15.2830 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	White	3630lm	3000K	>80Ra	Passive	26W	36°
S2.15.3830/S2.15.3830 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Black	3630lm	3000K	>80Ra	Passive	26W	36°
S2.15.1840/S2.15.1840 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Grey	3780lm	4000K	>80Ra	Passive	26W	36°
S2.15.2840/S2.15.2840 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	White	3780lm	4000K	>80Ra	Passive	26W	36°
S2.15.3840/S2.15.3840 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Black	3780lm	4000K	>80Ra	Passive	26W	36°
S2.15.1831/S2.15.1831 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Grey	4410lm	3000K	>80Ra	Passive	33W	36°
S2.15.2831/S2.15.2831 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	White	4410lm	3000K	>80Ra	Passive	33W	36°
S2.15.2831/S2.15.2831 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Black	4410lm	3000K	>80Ra	Passive	33W	36°
S2.15.1841/S2.15.1841 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Grey	4590lm	4000K	>80Ra	Passive	33W	36°
S2.15.2841/S2.15.2841 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	White	4590lm	4000K	>80Ra	Passive	33W	36°
S2.15.3841/S2.15.3841 ⁺	3-Phase Track Light Pluris LED/Pluris LED ⁺	Black	4590lm	4000K	>80Ra	Passive	33W	36°

Pluris LED

3-Phase Track Light

LED



3-Phasen-Stromschienenstrahler

Artikelnummer	P15w-4590-840PH-xx°
Farbe	weiß (optional: schwarz u. grau)
Farbtemperatur	4000K (optional: 3000K)
Farbwiedergabe	CRI>80 (optional: >90)
LED-Lichtstrom	4590lm (4000K) / 4410lm (3000K)
LED-Leistung	33W (26W)
Systemleistung	38W (31W)
Abstrahlwinkel	xx= 12° / 24° / 36° / 50°
optional	dimmbar (Bluetooth 4.0)